


# DEPRAG

## INDUSTRIAL

### Solid carbide burrs, Cylindrical without cutting face



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. a
				mm	mm	mm	mm	mm
6074551	337 000 006 001	SA-42M	20.628	2,5	3	11	38	-
6074576	337 000 006 026	SA-1M	20.003	6	6	16	50	-
6074577	337 000 006 027	SA-3M	20.078	9,5	6	19	63	-
6074552	337 000 006 002	SA-5M	20.178	12,7	6	25	69	-

### Solid carbide burrs, Cylindrical with cutting face



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. a
				mm	mm	mm	mm	mm
6074553	337 000 006 003	SB-43M	21.503	3	3	14	38	-
6074578	337 000 006 028	SB-1M	20.853	6	6	16	50	-
6074579	337 000 006 029	SB-3M	20.928	9,5	6	19	63	-
6074554	337 000 006 004	SB-5M	21.028	12,7	6	25	69	-

### Solid carbide burrs, Cylindrical with rounded end



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. a
				mm	mm	mm	mm	mm

6074556	337 000 006 006	SC-42M	22.278	3	3	14	38	-
6074555	337 000 006 005	SC-1M	21.703	6	6	16	50	-
6074557	337 000 006 007	SC-3M	21.778	9,5	6	19	63	-
6074558	337 000 006 008	SC-5M	21.878	12,7	6	25	69	-

### Solid carbide burrs, Spherical



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. ø
				mm	mm	mm	mm	mm
6074559	337 000 006 009	SD-42M	22.803	3	3	2,8	38	-
6074580	337 000 006 030	SD-1M	22.453	6	6	5	50	-
6074581	337 000 006 031	SD-3M	22.503	9,5	6	8	52	-
6074560	337 000 006 010	SD-5M	22.553	12,7	6	11	55	-

### Solid carbide burrs, Elliptical



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. ø
				mm	mm	mm	mm	mm
6074561	337 000 006 011	SE-41M	23.153	3	3	5,5	38	-
6074582	337 000 006 032	SE-1M	22.953	6	6	9,5	50	-
6074583	337 000 006 033	SE-3M	22.978	9,5	6	16	60	-
6074562	337 000 006 012	SE-5M	23.003	12,7	6	22	66	-

### Solid carbide burrs, Dendritic with rounded end



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. ø
-------------	------	-----	-------------	-------------------	-------------------	-----------------	-----------------	-----------------

				mm	mm	mm	mm	mm
6074563	337 000 006 013	SF-42M	23.703	3	3	12,7	38	-
6074584	337 000 006 034	SF-1M	23.303	6	6	16	50	-
6074564	337 000 006 014	SF-3M	23.328	9,5	6	19	63	-
6074565	337 000 006 015	SF-5M	23.378	12,7	6	25	69	-

### Solid carbide burrs, Dendritic pointed



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. :
				mm	mm	mm	mm	mm
6074566	337 000 006 016	SG-43M	24.203	3	3	6	38	-
6074585	337 000 006 035	SG-1M	23.853	6	6	16	50	-
6074567	337 000 006 017	SG-3M	23.903	9,5	6	19	63	-
6074586	337 000 006 036	SG-5M	23.928	12,7	6	25	69	-

### Solid carbide burrs, Flame



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. :
				mm	mm	mm	mm	mm
6074568	337 000 006 018	SH-41M	24.553	3	3	6,3	38	-
6074587	337 000 006 037	SH-53M	24.603	6	6	9,5	38	-
6074588	337 000 006 038	SH-2M	24.403	9,5	6	19	63	-
6074569	337 000 006 019	SH-5M	24.428	12,7	6	32	76	-

### Solid carbide burrs, Tapered with rounded end



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. α
				mm	mm	mm	mm	mm
6074570	337 000 006 020	SL-42M	25.428	3	3	12,7	38	8°
6074589	337 000 006 039	SL-1M	25.178	6	6	16	50	14°
6074590	337 000 006 040	SL-3M	25.228	9,5	6	27	74	14°
6074571	337 000 006 021	SL-4M	25.253	12,7	6	28	76	14°

### Solid carbide burrs, Tapered



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. α
				mm	mm	mm	mm	mm
6074572	337 000 006 022	SM-42M	25.703	3	3	11	38	14°
6074591	337 000 006 041	SM-2M	25.528	6	6	19	50	14°
6074592	337 000 006 042	SM-4M	25.578	9,5	6	16	63	28°
6074573	337 000 006 023	SM-5M	25.603	12,7	6	22	69	28°

### Solid carbide burrs, Reverse taper



CODE DEPRAG	Code	Typ	SGS marking	Standard dim. ød1	Standard dim. ød2	Standard dim. l	Standard dim. L	Standard dim. α
				mm	mm	mm	mm	mm
6074574	337 000 006 024	SN-42M	26.053	3	3	4	38	10°
6074593	337 000 006 043	SN-1M	25.853	6	6	8	50	10°
6074594	337 000 006 044	SN-2M	25.878	9,5	6	9,5	53	13°
6074575	337 000 006 025	SN-4M	25.903	12,7	6	12,7	57	28°